

Supaflow

Description

A high digestible fibre energy and palatable pelleted feed, designed to be used in a range of mechanical handling and feed systems.

Supaflow is a co-product from sugar production. Once the sugar has been diffused out from the beet, the fibrous residues are dried and combined with molasses. They are then pelleted and then finely coated with palm oil to produce the final product.

Nutritional Benefit

Can stimulate intake, assist in optimising rumen pH and increase ration energy density without increasing risk of acidosis, which assists with maintaining animal health and milk butter fat.

Features

- A highly palatable feed
- Good levels of non-starch digestible fibre energy
- High content of digestible fibre
- Suitable for a wide range of livestock
- Molassed, fat coated 6mm pellet
- Blowable and suitable for storage in feed bins
- Preferable to imported products which are hard 8/10mm pellets



Typical Analysis

Dry Matter

89.0%

Crude Protein

10.0%

MER

12.5 MJ/kg

Starch

1.0%

Sugars

20.0%

NDF

32.0%

Oil AH

1.3%

Daily feed rates (per head basis)

Milking Cows	Up to 6 (typically 3)kg
Dry Cows	Up to 2 kg
Replacement Heifers	Up to 2 kg and up to 40% of the DMI
Calves (to 12 weeks)	Up to 1.5 kg and up to 40% of the DMI
Growing Cattle	Up to 2.5 kg and up to 40% of the DMI
Finishing Cattle	Up to 5 kg and up to 50% of the DMI
Suckler Cows	Up to 4 (typically 2)kg
Ewes and Rams	Up to 1 (typically 0.5)kg
Hoggets and Lambs	Up to 1 kg or up to 50% of the DMI

